

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM



LISTING SERVICE

LISTING No. 4150-1720:100 Page 1 of 1

CATEGORY: Roof Covering, Wood Shakes/Shingles

LISTEE: White Mountain Building Products, LLC, 1508 West Red Baron Rd., Payson, AZ 85541
Contact: Anthony Gallo (928) 468-0599 Fax (928) 468-0543
Villageshake@yahoo.com

DESIGN: Model FSR pressure treated, No. 1 Grade Western Red Cedar shakes or shingles. Shakes and shingles, having a maximum moisture content of 20%, are pressured treated by FSR Treatment, Inc. with White Mountain Building products' proprietary fire retardant chemical. Refer to ICC Evaluation Services, Inc. ES Report No. ESR-5327 Reissued December 1, 2006 for additional detailed product description and installation considerations.

RATING: Class B and C

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes & ordinances and in a manner acceptable to the authority having jurisdiction.

Class B and C shakes and shingles are installed on minimum 15/32" thick solid sheathing or spaced sheathing complying with the code.

MARKING: Listee's name, model number, classification, and CSFM label.

APPROVAL: Listed as Class B and C, pressure treated No. 1 grade red cedar shakes and shingles. All installations are subject to the approval of the authority having jurisdiction.

12-11-08 bh



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: **JUNE 19, 2009**

*Listing Expires **June 30, 2010***

Authorized By: **FRANCIS MATEO, Program Coordinator**
Fire Engineering Division